

Phone: 916.683.7111
Fax: 916.691.941

Web: www.elkgrovecity.org

8401 Laguna Palms Way
Elk Grove, California 95758



City of Elk Grove Erosion & Sediment Control Notes

1. ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE CONSTRUCTED AND MAINTAINED IN ACCORDANCE WITH THE CITY OF ELK GROVE IMPROVEMENT STANDARDS, CURRENT EDITION (OCTOBER 2007), AND THE CITY OF ELK GROVE EROSION AND SEDIMENT CONTROL GUIDELINES, DATED OCTOBER 2007.
2. EROSION CONTROL BEST MANAGEMENT PRACTICES (BMPs) SHALL BE INSTALLED AND MAINTAINED DURING THE WET SEASON (OCTOBER 1 THROUGH APRIL 30). SEDIMENT CONTROL BMPs SHALL BE INSTALLED AND MAINTAINED ALL YEAR ROUND.
3. ALL DRAINAGE INLETS IMMEDIATELY DOWNSTREAM OF THE WORK AREAS AND WITHIN THE WORK AREAS SHALL BE PROTECTED WITH SEDIMENT CONTROL AND INLET FILTER BAGS, YEAR ROUND. INLET FILTER BAGS SHALL BE REMOVED FROM THE DRAINAGE INLETS UPON ACCEPTANCE OF THE PUBLIC IMPROVEMENTS BY THE CITY.
4. ALL STABILIZED CONSTRUCTION ACCESS LOCATIONS SHALL BE CONSTRUCTED PER STANDARD DRAWING SQ-1. WHERE CONSTRUCTION TRAFFIC ENTERS OR LEAVES PAVED AREAS, THE STABILIZED ACCESS SHALL BE MAINTAINED ON A YEAR ROUND BASIS UNTIL THE COMPLETION OF CONSTRUCTION.
5. ALL AREAS DISTURBED DURING CONSTRUCTION, BY GRADING, TRENCHING, OR OTHER ACTIVITIES, SHALL BE PROTECTED FROM EROSION DURING THE WET SEASON (OCTOBER 1 THROUGH APRIL 30). HYDROSEED, IF UTILIZED, MUST BE PLACED BY SEPTEMBER 15. HYDROSEED PLACED DURING THE WET SEASON SHALL USE A SECONDARY EROSION PROTECTION METHOD.
6. SENSITIVE AREAS AND AREAS WHERE EXISTING VEGETATION IS BEING PRESERVED SHALL BE PROTECTED WITH CONSTRUCTION FENCING. SEDIMENT CONTROL BMPs SHALL BE INSTALLED WHERE ACTIVE CONSTRUCTION AREAS DRAIN INTO SENSITIVE OR PRESERVED VEGETATION AREAS
7. SEDIMENT CONTROL BMPs SHALL BE PLACED ALONG THE PROJECT PERIMETER WHERE DRAINAGE LEAVES THE PROJECT. SEDIMENT CONTROL BMPs SHALL BE MAINTAINED YEAR ROUND UNTIL THE

Phone: 916.683.7111
Fax: 916.691.941

Web: www.elkgrovecity.org

8401 Laguna Palms Way
Elk Grove, California 95758



CONSTRUCTION IS COMPLETE OR THE DRAINAGE PATTERN HAS BEEN CHANGED AND NO LONGER LEAVES THE SITE.

8. THE FOLLOWING AREAS ON ALL PROJECTS ARE TO RECEIVE HYDROSEEDING OR OTHER EROSION CONTROL:
 - FOR RESIDENTIAL PROJECTS; LOT FRONT YARDS BEHIND THE SIDEWALK – THE FIRST 18 FEET OR TOP OF SLOPE (WHICHEVER IS GREATER)
 - FOR RESIDENTIAL PROJECTS; SIDEYARDS BEHIND THE SIDEWALK – THE FIRST 7.5 FEET OR TOP OF SLOPE (WHICHEVER IS GREATER).
 - FOR COMMERCIAL PROJECTS; ALL NON ACTIVE DISTURBED SOIL AREAS MUST BE STABILIZED.
 - SLOPES – ALL SLOPES GREATER THAN 10:1
9. EROSION AND SEDIMENT CONTROL MEASURES FOR THIS PROJECT SHALL BE IN COMPLIANCE AT ALL TIMES WITH THE STORMWATER POLLUTION PREVENTION PLAN (SWPPP) PREPARED FOR THE PROJECT IN ACCORDANCE WITH THE STATE OF CALIFORNIA GENERAL CONSTRUCTION PERMIT. THIS PERMIT REQUIRES THAT

THE SWPPP BE KEPT UP TO DATE TO REFLECT THE CHANGING SITE CONDITIONS AND THE SWPPP IS TO BE AVAILABLE ON SITE AND ACCESSIBLE AT ALL TIMES FOR INSPECTION AND REVIEW BY STATE AND LOCAL INSPECTORS.

10. IN THE RAINY/WET SEASON, ALL NON ACTIVE DISTURBED SOIL AREAS MUST BE STABILIZED WITH EROSION CONTROLS WITHIN 14 CALENDAR DAYS OR PRIOR TO FORECASTED RAIN EVENT (WHICHEVER COMES FIRST).